IN THE CLAIMS

Please amend claim 1, 11 and 12 by rewriting the same as follows:

1. (Currently Amended) A cleaning device comprising:

a cleaning member, said cleaning member having a first surface, said surface having synthetic loops;

a base plate, said base plate having a plurality of projections for gripping said first surface of said cleaning member, said projections <u>having comprising: i.</u> a <u>reasonably</u> stiff top segment, said top segment having opposing ends, said ends extend from said top segment by a predefined distance, said opposing ends capable of being repetitively gripped and released from said first surface of said cleaning member, and ; ii. a <u>reasonably</u> stiff intermediate section, said intermediate section separating said top segment from said base plate by a predefined distance; and

an ergonomic handle, said handle having a channel formed between a bottom surface of said handle and said base plate, said channel configured in such a manner as to accept at least part of a user's fingers when the handle is grasped from above.

- 2. (Original) The cleaning device of claim 1 wherein said opposing ends of said projections each having free ends, said opposing ends having a cross section that is thicker at the connection of said ends to said top segment than at said free ends.
- 3. (Original) The cleaning device of claim 2 wherein said intermediate section having a bottom end defined by the connection of the intermediate section to said base plate and a top end defined by the connection of the intermediate section to the top segment, wherein:

said intermediate section having a cross section that is thicker at the bottom end than at the top end.

- 4. (Original) The cleaning device of claim 3 wherein the opposing ends terminate at substantially a point.
- 5. (Original) The cleaning device of claim 4 wherein the distance between the end of each free end is substantially the same as the distance between the top end and the bottom end of the intermediate segment.
- 6. (Original) The cleaning device of claim 5 wherein said plurality of projections arranged in an array having a predetermined number of columns and rows for securely gripping said cleaning member.
- 7. (Original) The cleaning device of claim 6 wherein said cleaning member first side comprises Loop Velcro.
- 8. (Original) The cleaning device of claim 6 wherein said cleaning member first side comprises a scouring surface.
- 9. (Original) The cleaning device of claim 7 wherein said cleaning member has a second surface comprising a sponge and a third surface comprising a scouring pad.
- 10. (Original) The cleaning device of claim 8 wherein said cleaning member has a second

surface comprising a sponge.

- 11. (Currently Amended) The cleaning device of claim 9 wherein <u>said handle includes</u> said base plate comprises a handle member including a grasping means the top of which is one of:
 - i. a sphere; and
- ii. curved throughout and configured in such a manner as to closely conform to the curvature of the inside of a grasping human hand;

wherein said grasping means is one of:

- i. integral to said base plate; and
- ii. removable from said base plate.

iii.

- 12. (Currently Amended) The cleaning device of claim 10 wherein <u>said handle</u> includes said base plate comprises a handle member including a grasping means the top of which is member including a grasping means the top of which is one of:
- i. a sphere; and
- ii. curved throughout and configured in such a manner as to closely conform to the curvature of the inside of a grasping human hand;

wherein said grasping means is one of:

- i. integral to said base plate; and
- ii. removable from said base plate.